

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Josef A. Graessle, Kevin R. Green and Albert Vent
Patent No.: 7,496,225 Application No.: 10/655,328
Dated: February 24, 2009 Confirmation No. 6102
Title: BIOLOGICAL GROWTH PLATE SCANNER WITH AUTOMATED INTAKE

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.322

Commissioner for Patents
Office of Publication
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING OR TRANSMISSION [37 CFR § 1.8(a)]

I hereby certify that this correspondence is being:

- ☒ transmitted to United States Patent and Trademark Office on the date shown below via the Office electronic filing system.
☐ deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.
☐ transmitted by facsimile on the date shown below to the United States Patent and Trademark Office at 571-273-8300.

October 19, 2011 /Judy L. Hansen/
Date Signed by: Judy L. Hansen

Dear Sir:

It is respectfully requested that a Certificate of Correction be issued in connection with the above-identified patent. The required text is submitted on the attached form.

Because the listed errors first occurred in the printed patent, and are not due to Applicant's mistake, no fee is required in connection with this Certificate of Correction.

Fees

- ☒ Any required fee will be made at the time of submission via EFS-Web. In the event fees are not or cannot be paid at the time of EFS-Web submission, please charge any fees under 37 CFR § 1.20(a) which may be required to Deposit Account No. 13-3723.
☐ Please charge any fees under 37 CFR §§ 1.20(a), 1.16 and 1.17 which may be required to Deposit Account No. 13-3723.
☒ Please charge any additional fees associated with the prosecution of this application to Deposit Account No. 13-3723. This authorization includes the fee for any necessary extension of time under 37 CFR § 1.136(a). To the extent any such extension should become necessary, it is hereby requested.
☒ Please credit any overpayment to the same deposit account.

Respectfully submitted,

October 19, 2011
Date

By: /Michael G. Williams/
Michael G. Williams, Reg. No.: 61,990
Telephone No.: 651-736-7430

#1207263 Request for and Certificate of Correction
Office of Intellectual Property Counsel
3M Innovative Properties Company
Facsimile No.: 651-736-3833

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO.: 7,496,225
DATED: February 24, 2009
FIRST NAMED INVENTOR: Josef A. Graessle et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page 2

(56) References Cited - under US Patent Documents, please delete
"2004/0100118" and insert in place thereof --2004/0101189--.

Column 9

Line 25, before "by" insert --carried--.

Column 12

Line 10, before "first slot" insert --a--.

Line 43, before "biological scanner" insert --a--.

Line 43, after "for" insert --scanning--.

Column 14

Line 18, delete "from the" and insert in place thereof --against a--.

Line 19, delete "positions;" and insert in place thereof --position;--.

Line 29, after "31," insert --further--.

Line 42, after "within" insert --the--.

MAILING ADDRESS OF SENDER:

**OFFICE OF INTELLECTUAL PROPERTY COUNSEL
3M INNOVATIVE PROPERTIES COMPANY
3M CENTER - P.O. BOX 33427
SAINT PAUL, MINNESOTA 55133-3427**

PATENT NO. 7,496,225 B2

No. of add'l copies: - 0 -
@ 50¢ per page

No add'l copies